

Sample code	893-2022-00051661	Report date	24/06/2022	Page 1/5
Report number	RA-2022-ZV-97896-1			

In order of	<i>8586640 Global Green Pact</i>
For the attention of	
Address	<i>Postbus 66</i>
City	<i>8800AB FRANEKER</i>
Country	<i>NL</i>
E-mail	<i>pieter.ggp@gmail.com</i>

Sample code	893-2022-00051661	Sample type	EX
Client Reference	<i>HE0012325</i>		
Sample description	<i>CS-22 Biostimulanten</i>	Date of starting the analysis	21/06/2022
Date of reception	<i>21/06/2022</i>		
Analyses requested	<i>ZVP91, ZVP92</i>	Date of sample taking	14/06/2022
Matrix	<i>Unclean water</i>	Sampler	<i>Client (extern)</i>
Grower	<i>GlobalGreenPact BV</i>	Serial number auction	<i>124064</i>
		Sample descr. by client	<i>1</i>

The analyzed pesticides are documented on DRF-133 version 15 valid from 28-12-20.

ZVP91 - ZV - Quantitative multi pesticide screening GC-MSMS - W3201/WVS-092 + W3101/WVS-060
 No pesticides at a content above the reporting limit were detected.

ZVP92 - ZV - Quantitative multi pesticide screening LC-MSMS - W3301/WVS-040 + W3101/WVS-060
 No pesticides at a content above the reporting limit were detected.

Additional information concerning the sample:

Executive laboratory: Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. commissioned by Eurofins Agro.

Graauw 24/06/2022



Niels Martha
 (Managing Director)

Explanatory Note:

The symbol (Q) identifies the tests under accreditation EN-ISO/IEC 17025:2017 RvA Testing L201. The results refer to the sampled object, when the sample is taken by Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The results refer only to the examined sample, when the sample is taken by third parties. The standard measurement uncertainty for pesticides is 50%. Details on the measurement uncertainty per component, the methods of analyses, limits of quantification and features of performance are retrievable. Opinions and interpretations are not included within accreditation. Without written permission of Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. it is not allowed to reproduce this report other than in full. The tests identified by the two letters code ZV are performed in laboratory Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The data in italics is provided by the customer and may affect the validity of the results.

Sample code	893-2022-00051661	Report date	24/06/2022	Page 3/5
Report number	RA-2022-ZV-97896-1			

Analysis 2: Quantitative multi pesticide screening LC-MSMS (Pesticide multi method, extraction with acetone, petroleum ether and dichloromethane. Adjusted own method (W3301/WVS-040, W3101/WVS-060), LC-MS)


Pesticide (Active compound)	Reporting limit mg/kg	Pesticide (Active compound)	Reporting limit mg/kg	Pesticide (Active compound)	Reporting limit mg/kg	Pesticide (Active compound)	Reporting limit mg/kg	Pesticide (Active compound)	Reporting limit mg/kg
Cyflufenamid	0.01	Fenthion-oxon	0.01	Isoxaben	0.01	Penthiopyrad	0.01	Spirodiclofen	0.01
Cyflumetofen	0.01	Fenthion-oxon-sulfone	0.01	Isoxalutole	0.01	Phenisopham	0.01	Spirotetramat	0.01
Cymoxanil	0.01	Fenthion-oxon-sulfoxide	0.01	Isoxathion	0.01	Phenmedipham	0.01	Spirotetramat-enol	0.01
Cyproconazole	0.01	Fenthion-sulfone	0.01	Jasmodin I	0.01	Phorate	0.01	Spirotetramat-enolglucoside	0.05
Cyprodinil	0.01	Fenthion-sulfoxide	0.01	Jasmodin II	0.01	Phorate-O-analogue	0.01	Spirotetramat-ketohydroxy	0.01
Cythioate	0.01	Fenuron	0.01	Kresoxim-methyl	0.01	Phorate-oxon-sulfone	0.01	Spirotetramat-monohydroxy	0.01
DDAC- Sum -	0.01	Fipronil	0.01	Lenacil	0.01	Phorate-sulfone	0.01	Spiroxamine	0.01
Dialkyldimethylammonium chlorides		Fipronil (sum)	0.01	Linuron	0.01	Phorate-sulfoxide	0.01	Sulcotrione	0.02
Demeton-S-methyl-sulfone	0.01	Fipronil-sulfone	0.01	Lufenuron	0.01	Phosalone	0.01	Sulfentazone	0.02
Desmedipham	0.01	Flazasulfuron	0.01	Malathion	0.01	Phosmet	0.01	Sulfoxaflor	0.01
Dicamba	0.05	Flocicamid	0.01	Mandipropamid (any ratio of constituent isomers)	0.01	Phosmet-oxon	0.01	Tebuconazole	0.01
Dichlofuanid	0.01	Flocicamid-TFNA-AM	0.01	Matrine	0.5	Phosphamidon	0.01	Tebufenpyrad	0.01
Dichlorophen	0.01	Florasulam	0.01	MCPA	0.01	Picardin	0.01	Teflubenzuron	0.01
Dichlorprop	0.01	Fluazifop	0.01	MCPB	0.01	Picloram	0.1	Tembotrione	0.01
Dichlorvos	0.01	Fluazifop-P-butyl	0.01	Mecoprop	0.01	Piclorafen	0.01	Tepraloxidim	0.01
Diclobutrazol	0.01	Fluazinam	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Terbufos	0.01
Diclofop-methyl	0.01	Flubendiamide	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Terbufos-sulfone	0.01
Diclotophos	0.01	Flucycloxuron	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Terbufos-sulfoxide	0.01
Diethofencarb	0.01	Flufenacet	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Terbutylazine	0.01
Diethyltoluamide	0.01	Flufenoxuron	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Terbutylazine, desethyl-	0.01
Difenoconazole	0.01	Flumioxazin	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Tetraconazole	0.01
Diflufenzuron	0.01	Flupicilod	0.01	Mefenacet	0.01	Picoxystrobin	0.01	TFNA	0.01
Dimethenamid including other mixtures of constiue	0.01	Flupyrad	0.01	Mefenacet	0.01	Picoxystrobin	0.01	TFNG	0.01
Dimethirimol	0.01	Fluotrimazole	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiabendazole	0.01
Dimethoate	0.01	Fluoxastrobin	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiacloprid	0.01
Dimethomorph	0.01	Flupyradifurone	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiamethoxam	0.01
Dimethylaminosulphotoluidide (DMST)	0.01	Flupyrsulfuron-Methyl	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiazuron	0.01
Dimethylphenylsulfamide (DMSA)	0.01	Fluquinconazole	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiencazabone-methyl	0.01
Dimoxystrobin	0.01	Flurochloridone	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thifensulfuron methyl	0.01
Diniconazole	0.01	Fluroxypyr	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiobencarb	0.01
Dinocap	0.01	Fluroxypyr-Methylheptyl	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiodicarb	0.01
Dinotefuran	0.01	Flusilazole	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiofanox	0.01
Dipropetryn	0.01	Fluthiacet-methyl	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiofanox-sulfone	0.01
Dithianon	0.01	Flutriafol	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiofanox-sulfoxide	0.01
Diuron	0.01	Fluxapyroxad	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiometon	0.01
DNOC	0.03	FM-6-1 (metabolite trifluzimole)	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Thiophanate-methyl	0.01
Dodemorf	0.01	Fenamsulfuron	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Tolclofos-methyl	0.01
Dodine	0.01	Forchlorfenuron	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Tolfenpyrad	0.01
Emamectin	0.01	Fosfiazate	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Tolyfluanid	0.01
Epoxiconazole	0.01	Furalaxyl	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Tralkoxydim	0.01
Ethiofenecarb	0.01	Furathiocarb	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Triadimefon	0.01
Ethiofenecarb-sulfone	0.01	Gibberellic Acid	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Triadimenol	0.01
Ethiofenecarb-sulfoxide	0.01	Halofenozide	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Triazophos	0.01
Ethiprole	0.01	Halofenozide	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Triazoxid	0.01
Ethirimol	0.01	Haloxyfop	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Trichlorfon	0.01
Ethoxysulfuron	0.01	Hexaconazole	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Triclopyr	0.01
Etofenprox	0.01	Hexaflumuron	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Tricyclazole	0.01
Etoxadole	0.01	Hexythiazox	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Pyroxaflor	0.01
Famophos	0.01	Hymexazol	0.1	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Famoxadone	0.01	Imazail (any ratio of constituent isomers)	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenamidone	0.01	Imazamethabenz-methyl	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenamiphos	0.01	Imazamox	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenamiphos-sulfone	0.01	Imazaquin	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenamiphos-sulfoxide	0.01	Imibencconazole	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenarimol	0.01	Imidacloprid	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenazaminol	0.01	Indoxacarb (sum, R+S isomers)	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenazaminol	0.01	Iodosulfuron methyl	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenbuconazole (sum of constituent enantiomers)	0.01	Ioxynil	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenhexamid	0.01	Iprodione	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenpropr	0.01	Iprovalicarb	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenoxycarb	0.01	Isochlorogenic acid	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenpropidin	0.01	Isoprothiolane	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenpropimorph	0.01	Isoyrazam	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenpropimorph	0.01	Isouron	0.01	Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenpyrazamine	0.01			Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenpyroximate	0.01			Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05
Fenthion	0.01			Mefenacet	0.01	Picoxystrobin	0.01	Quinmerac	0.05

The components belong to DRF-133.
Benfuracarb will be reported as Carbofuran. Benomyl will be reported as Carbendazim.
The reporting limits are indicative and may change depending on the matrix and the circumstances of the analysis.

Explanatory Note:

The symbol (Q) identifies the tests under accreditation EN-ISO/IEC 17025:2017 RvA Testing L201. The results refer to the sampled object, when the sample is taken by Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The results refer only to the examined sample, when the sample is taken by third parties. The standard measurement uncertainty for pesticides is 50%. Details on the measurement uncertainty per component, the methods of analyses, limits of quantification and features of performance are retrievable. Opinions and interpretations are not included within accreditation. Without written permission of Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. it is not allowed to reproduce this report other than in full. The tests identified by the two letters code ZV are performed in laboratory Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The data in italics is provided by the customer and may affect the validity of the results.

Sample code	893-2022-00051661	Report date	24/06/2022	Page 4/5
Report number	RA-2022-ZV-97896-1			

**Explanatory Note:**

The symbol (Q) identifies the tests under accreditation EN-ISO/IEC 17025:2017 RvA Testing L201. The results refer to the sampled object, when the sample is taken by Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The results refer only to the examined sample, when the sample is taken by third parties. The standard measurement uncertainty for pesticides is 50%. Details on the measurement uncertainty per component, the methods of analyses, limits of quantification and features of performance are retrievable. Opinions and interpretations are not included within accreditation. Without written permission of Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. it is not allowed to reproduce this report other than in full. The tests identified by the two letters code ZV are performed in laboratory Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The data in italics is provided by the customer and may affect the validity of the results.

Sample code	893-2022-00051661	Report date	24/06/2022	Page 5/5
Report number	RA-2022-ZV-97896-1			

**Explanatory Note:**

The symbol (Q) identifies the tests under accreditation EN-ISO/IEC 17025:2017 RvA Testing L201. The results refer to the sampled object, when the sample is taken by Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The results refer only to the examined sample, when the sample is taken by third parties. The standard measurement uncertainty for pesticides is 50%. Details on the measurement uncertainty per component, the methods of analyses, limits of quantification and features of performance are retrievable. Opinions and interpretations are not included within accreditation. Without written permission of Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. it is not allowed to reproduce this report other than in full. The tests identified by the two letters code ZV are performed in laboratory Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The data in italics is provided by the customer and may affect the validity of the results.